

ACTi Mobile Explorer v2.0

Apr. 12, 2007



Marketing Spec.

- Supports ALL ACTi Devices – 16-Channels
 - TCP 1.0, TCP 2.0, EPL: TCP Connection Only
- Supports Following Video Profile (using HP iPaq 2790b)
 - D1@6 FPS with 1.5 Mbps
 - CIF@15 FPS with 1.5 Mbps
 - CIF@30 FPS with 500 Kbps
- Supports Quad
 - 1, 2, 3, 4, Quad Control
- Supports On-Screen PTZ
 - 8-Direction PTZ Control + Zoom In/Out
 - PTZ set / goto presets
 - PTZ OSD
 - PTZ Speed
- 2-Way Audio Support
- Displays Name
- Displays Events
 - Motion Detection
 - Digital Input
- Trigger Digital Output 1
- Switch Channels by 1 click
 - Within 1 second
- Supports Microsoft Windows Mobile 5, Pocket PC OS Series



Supported Platform

- Operating System
 - Windows Mobile 5
 - Pocket PC 2003
- Devices
 - Tested Devices
 - HP iPaq 2490b
 - Dopod D810
 - ETEN M500
 - O2 Atom Exec
 - Touch Screen Support (recommended)
 - PTZ Control needs touch screen only
- Transmission Medium
 - 3G
 - WIFI

